
Tatsuya AOYAMA
METHOD, APPARATUS, DATABASE, AND
April 2, 2004
Darryl Mexic
(202) 293-7060
Q80870
l of 7



Tatsuya AOYAMA
METHOD, APPARATUS, DATABASE, AND
April 2, 2004
Darryl Mexic
(202) 293-7060
Q80870
2 of 7

FIG.2

-25a

-25

| COLOR CHARACTERSISTIC | IG1(REDDISH) | IG2 (INTERMEDIATE) | IG3(BLUISH) |
|----------------------------|--------------|-----------------------|-------------|
| MODELS | A,B,C, | D,E,F, | G,H,I, |
| COLOR CORRECTION CONDITION | I1 | 12 | 13 |

_25b

| TONE CHARACTERSISTIC | KG1(SOFT) | KG2 (INTERMEDIATE) | KG3(HARD) |
|---------------------------|-----------|-----------------------|-----------|
| MODELS | A,D,E, | B,F,G, | С,Н,І, |
| TONE CORRECTION CONDITION | K1 | K2 | КЗ |


∠25c

| SHARPNESS CHARACTERSISTIC | SG1 (LOW) | SG2 (INTERMEDIATE) | SG3(HIGH) |
|--------------------------------|-----------|-----------------------|------------|
| MODELS | D,E, | A,B,H,1, | C,F,G, |
| SHARPNESS CORRECTION CONDITION | S1 | S2 | S 3 |

-25d

| NOISE CHARACTERSISTIC | NG1 (LOW) | NG2 (INTERMEDIATE) | NG3(HIGH) |
|---------------------------|-----------|-----------------------|-----------|
| MODELS | C,I, | A,B,E,F, | D,G,H, |
| NOISE REDUCTION CONDITION | N1 | N2 | N3 |


FIG.3




Tatsuya AOYAMA
METHOD, APPARATUS, DATABASE, AND
April 2, 2004
Darryl Mexic
(202) 293-7060
Q80870
3 of 7

Tatsuya AOYAMA
METHOD, APPARATUS, DATABASE, AND
April 2, 2004
Darryl Mexic
(202) 293-7060
Q80870
4 of 7

FIG.4





RELATIVE FREQUENCY(NYQUIST FREQUENCY=0.0666)

FIG. 5

| GROUPS | IG1 | KG1 | SG2 | NG2 |
|------------|-----------|--------|----------------|----------------|
| | (REDDISH) | (SOFT) | (INTERMEDIATE) | (INTERMEDIATE) |
| CORRECTION | | K1 | 82 | N2 |

GROUPS THAT MODEL A BELONGS TO AND CORRECTION CONDITIONS SET THEREFOR

Tatsuya AOYAMA
METHOD, APPARATUS, DATABASE, AND
April 2, 2004
Darryl Mexic
(202) 293-7060
Q80870
5 of 7

Tatsuya AOYAMA METHOD, APPARATUS, DATABASE, AND April 2, 2004 Darryl Mexic (202) 293-7060 Q80870 6 of 7

FIG.6




FIG.7

| COLOR & | IG1 · KG1 | IG1 · KG2 | 1G1 - KG2 1G1 - KG3 1G2 - KG1 1G2 - KG2 1G2 - KG3 1G3 - KG1 1G3 - KG2 1G3 - KG3 | IG2 · KG1 | IG2 · KG2 | IG2 · KG3 | IG3 · KG3 | 163 · KG2 | 163 · K63 |
|-----------------------------------|-----------|-----------|---|-----------|-----------|-----------|-----------|-----------|-----------|
| MODEL | ₩ | æ | S | 9,6 | - | | | ی | |
| COLOR & TONE CORRECTION CONDITION | 11 · K1 | 11 · K2 | П · КЗ | 12 · K1 | 12 · K2 | 12 · K3 | 13 · K1 | 13 · K2 | 13 · K3 |

Tatsuya AOYAMA
METHOD, APPARATUS, DATABASE, AND
April 2, 2004
Darryl Mexic
(202) 293-7060
Q80870
7 of 7